Assignment 31

Handout A

(14) a)

b) $\frac{dx}{dt} = 0.1x - 0.5xy = 0$

$\frac{dy}{dt} = 0.1y - 0.05xy = 0$

$$\boxed{\begin{array}{l} x = 0;\ y = 0 \\ x = 2;\ y = 2 \end{array}}$$

c)

d)



e) if $x=0$, y
if $y=0$, x

f) see above

g) $x(0) = 2$, $y(0) = 1.8$:

$x(0) = 2$, $y(0) = 2.3$:

$x(0) = 2.2$, $y(0) = 2$:

h) support

(16) a) $\frac{dx}{dt} = x - x^2 - axy$

$\frac{dy}{dt} = y - y^2 - axy$

$\frac{dx}{dt} = 2 - 4 - 0 = -2$

(16) cont'd

b) $\frac{dx}{dt} = x(1 - x - ay) = 0$

$\frac{dy}{dt} = y(1 - y - ax) = 0$

$y = 1 - ax$; $x = 1 - ay$

$y = \frac{1}{1+a}$; $x = 1 - \frac{a}{1+a}$

$a = \frac{1}{2}$: $y = \frac{2}{3}$, $x = \frac{2}{3}$



$a = \frac{3}{2}$: $y = \frac{2}{5}$, $x = \frac{3}{5}$



Stewart 7.6

(1) a) $dx/dt = -0.05x + 0.0001xy$

$x \to$ pred; $y \to$ prey

grows only thru encounters with y

b) $\frac{dy}{dt} = -0.015y + 0.00008xy$

$y \to$ pred; $x \to$ prey

(2) a) positive xy term
$\to$ cooperation model

b) negative xy term
$\to$ competition model

(20), (21) see next page

Assignment 31 cont'd [redacted]

20. $dx/dt = 0.4x - 0.002xy$, $dy/dt = -0.2y + 0.000008xy$

(a) The xy terms represent encounters between the birds and the insects. Since the y-population increases from these terms and the x-population decreases, we expect y to represent the birds and x the insects.

(b) x and y are constant $\Rightarrow$ $x' = 0$ and $y' = 0$ $\Rightarrow$

$$\left.\begin{cases} 0 = 0.4x - 0.002xy \\ 0 = -0.2y + 0.000008xy \end{cases}\right\} \Rightarrow \begin{cases} 0 = 0.4x(1 - 0.005y) \\ 0 = -0.2y(1 - 0.00004x) \end{cases} \Rightarrow y = 0 \text{ and } x = 0 \text{ (zero populations)}$$

or $y = \frac{1}{0.005} = 200$ and $x = \frac{1}{0.00004} = 25{,}000$. The non-trivial solution represents the population sizes needed so that there are no changes in either the number of birds or the number of insects.

(c) $\dfrac{dy}{dx} = \dfrac{dy/dt}{dx/dt} = \dfrac{-0.2y + 0.000008xy}{0.4x - 0.002xy}$

(d)



At $(x, y) = (40{,}000, 100)$, $dx/dt = 8000 > 0$, so as t increases we are proceeding in a counterclockwise direction. The populations increase to approximately $(59{,}646, 200)$, at which point the insect population starts to decrease. The birds attain a maximum population of about 380 when the insect population is 25,000. The populations decrease to about $(7370, 200)$, at which point the insect population starts to increase. The birds attain a minimum population of about 88 when the insect population is 25,000, and then the cycle repeats.

(e)



Both graphs have the same period and the bird population peaks about a quarter-cycle after the insect population.

21. (a) $dx/dt = 0.4x(1 - 0.000005x) - 0.002xy$, $dy/dt = -0.2y + 0.000008xy$. If $y = 0$, then $dx/dt = 0.4x(1 - 0.000005x)$, so $dx/dt = 0 \Leftrightarrow x = 0$ or $x = 200{,}000$, which shows that the insect population increases logistically with a carrying capacity of 200,000. Since $dx/dt > 0$ for $0 < x < 200{,}000$ and $dx/dt < 0$ for $x > 200{,}000$, we expect the insect population to stabilize at 200,000.

(b) x and y are constant $\Rightarrow$ $x' = 0$ and $y' = 0$ $\Rightarrow$

$$\left.\begin{cases} 0 = 0.4x(1 - 0.000005x) - 0.002xy \\ 0 = -0.2y + 0.000008xy \end{cases}\right\} \Rightarrow \begin{cases} 0 = 0.4x[(1 - 0.000005x) - 0.005y] \\ 0 = y(-0.2 + 0.000008x) \end{cases}$$

The second equation is true if $y = 0$ or $x = \frac{0.2}{0.000008} = 25{,}000$. If $y = 0$ in the first equation, then either $x = 0$ or $x = \frac{1}{0.000005} = 200{,}000$. If $x = 25{,}000$, then $0 = 0.4(25{,}000)[(1 - 0.000005 \cdot 25{,}000) - 0.005y]$ $\Rightarrow$ $0 = 10{,}000[(1 - 0.125) - 0.005y]$ $\Rightarrow$ $0 = 8750 - 50y$ $\Rightarrow$ $y = 175$.

Case (i): $y = 0$, $x = 0$: Zero populations

Case (ii): $y = 0$, $x = 200{,}000$: In the absence of birds, the insect population is always 200,000.

Case (iii): $x = 25{,}000$, $y = 175$: The predator/prey interaction balances and the populations are stable.

(c) The populations of the birds and insects fluctuate around 175 and 25,000, respectively, and eventually stabilize at those values.

(d)